ELSEVIER

Hearing Research 179 (2003) 126

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 179

Bogdanovic, N., see Idrizbegovic, E. (179) 33
Burkard, R.F., see Hight, N.G. (179) 21

Canlon, B., see Idrizbegovic, E. (179) 33
Cohen, L.T., Richardson, L.M., Saunders, E. and Cowan, R.S.C.
Spatial spread of neural excitation in cochlear implant recipients: comparison of improved ECAP method and psychophysical forward masking (179) 72
Cowan, R.S.C., see Cohen, L.T. (179) 72

de Groot, J.C.M.J., see Wolters, F.L.C. (179) 53
Duan, L., see Ozeki, M. (179) 43

Edson-Herzovi, D., see Ozeki, M. (179) 43

Hall, D.A., see Hart, H.C. (179) 104
Hamajima, Y., see Ozeki, M. (179) 43
Hamers, F.P.T., see Wolters, F.L.C. (179) 53
Hart, H.C., Hall, D.A. and Palmer, A.R.
The sound-level-dependent growth in the extent of fMRI activation in Heschl's gyrus is different for low- and high-frequency tones (179) 104
He, L., see Hou, F. (179) 1
Henderson, D., see Hight, N.G. (179) 21
Henry, K.R.
Hyperthermia exacerbates and hypothermia protects from noise-induced threshold elevation of the cochlear nerve envelope response in the C57BL/6J mouse (179) 88
Hight, N.G., McFadden, S.L., Henderson, D., Burkard, R.F. and Nicotera, T.
Noise-induced hearing loss in chinchillas pre-treated with glutathione monoethylester and R-PIA (179) 21
Hou, F., Wang, S., Zhai, S., Hu, Y., Yang, W. and He, L.
Effects of α-tocopherol on noise-induced hearing loss in guinea pigs (179) 1
Hu, Y., see Hou, F. (179) 1

Idrizbegovic, E., Bogdanovic, N., Viberg, A. and Canlon, B.
Auditory peripheral influences on calcium binding protein immunoreactivity in the cochlear nucleus during aging in the C57BL/6J mouse (179) 33
Ismail, H. and Thornton, A.R.D.
The interaction between ear and sex differences and stimulus rate (179) 97

Kipke, D.R., see Rousche, P.J. (179) 62
Klis, S.F.L., see Wolters, F.L.C. (179) 53

Lin, J., see Ozeki, M. (179) 43
Lineton, B., see Slaven, A. (179) 113

Mäkitie, A.A., Pirvola, U., Pyykkö, I., Sakakibara, H., Riihimäki, V. and Ylikoski, J.
The ototoxic interaction of styrene and noise (179) 9
McFadden, S.L., see Hight, N.G. (179) 21
Miller, J.M., see Wolters, F.L.C. (179) 53

Nicotera, T., see Hight, N.G. (179) 21

Obritch, W., see Ozeki, M. (179) 43
Otto, K.J., see Rousche, P.J. (179) 62
Ozeki, M., Duan, L., Hamajima, Y., Obritch, W., Edson-Herzovi, D. and Lin, J.
Establishment and characterization of rat progenitor hair cell lines (179) 43

Palmer, A.R., see Hart, H.C. (179) 104
Pirvola, U., see Mäkitie, A.A. (179) 9
Prieskorn, D.M., see Wolters, F.L.C. (179) 53
Pyykkö, I., see Mäkitie, A.A. (179) 9

Reilly, M.P., see Rousche, P.J. (179) 62
Richardson, L.M., see Cohen, L.T. (179) 72
Riihimäki, V., see Mäkitie, A.A. (179) 9
Rousche, P.J., Otto, K.J., Reilly, M.P. and Kipke, D.R.
Single electrode micro-stimulation of rat auditory cortex: an evaluation of behavioral performance (179) 62

Sakakibara, H., see Mäkitie, A.A. (179) 9
Saunders, E., see Cohen, L.T. (179) 72
Slaven, A., Lineton, B. and Thornton, A.R.D.
Properties of Volterra slices of otoacoustic emissions in normal-hearing humans obtained using maximum length sequences of clicks (179) 113
Smoorenburg, G.F., see Wolters, F.L.C. (179) 53

Thornton, A.R.D., see Ismail, H. (179) 97
Thornton, A.R.D., see Slaven, A. (179) 113

Viberg, A., see Idrizbegovic, E. (179) 33

Wang, S., see Hou, F. (179) 1
Wolters, F.L.C., Klis, S.F.L., de Groot, J.C.M.J., Hamers, F.P.T., Prieskorn, D.M., Miller, J.M. and Smoorenburg, G.F.
Systemic co-treatment with α-melanocyte stimulating hormone delays hearing loss caused by local cisplatin administration in guinea pigs (179) 53

Yang, W., see Hou, F. (179) 1
Ylikoski, J., see Mäkitie, A.A. (179) 9

Zhai, S., see Hou, F. (179) 1

doi:10.1016/S0378-5955(03)00121-7

ELSEVIER

Hearing Research 179 (2003) 126

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 179

Bogdanovic, N., see Idrizbegovic, E. (179) 33
Burkard, R.F., see Hight, N.G. (179) 21

Canlon, B., see Idrizbegovic, E. (179) 33
Cohen, L.T., Richardson, L.M., Saunders, E. and Cowan, R.S.C.
Spatial spread of neural excitation in cochlear implant recipients: comparison of improved ECAP method and psychophysical forward masking (179) 72
Cowan, R.S.C., see Cohen, L.T. (179) 72

de Groot, J.C.M.J., see Wolters, F.L.C. (179) 53
Duan, L., see Ozeki, M. (179) 43

Edson-Herzovi, D., see Ozeki, M. (179) 43

Hall, D.A., see Hart, H.C. (179) 104
Hamajima, Y., see Ozeki, M. (179) 43
Hamers, F.P.T., see Wolters, F.L.C. (179) 53
Hart, H.C., Hall, D.A. and Palmer, A.R.
The sound-level-dependent growth in the extent of fMRI activation in Heschl's gyrus is different for low- and high-frequency tones (179) 104
He, L., see Hou, F. (179) 1
Henderson, D., see Hight, N.G. (179) 21
Henry, K.R.
Hyperthermia exacerbates and hypothermia protects from noise-induced threshold elevation of the cochlear nerve envelope response in the C57BL/6J mouse (179) 88
Hight, N.G., McFadden, S.L., Henderson, D., Burkard, R.F. and Nicotera, T.
Noise-induced hearing loss in chinchillas pre-treated with glutathione monoethylester and R-PIA (179) 21
Hou, F., Wang, S., Zhai, S., Hu, Y., Yang, W. and He, L.
Effects of α-tocopherol on noise-induced hearing loss in guinea pigs (179) 1
Hu, Y., see Hou, F. (179) 1

Idrizbegovic, E., Bogdanovic, N., Viberg, A. and Canlon, B.
Auditory peripheral influences on calcium binding protein immunoreactivity in the cochlear nucleus during aging in the C57BL/6J mouse (179) 33
Ismail, H. and Thornton, A.R.D.
The interaction between ear and sex differences and stimulus rate (179) 97

Kipke, D.R., see Rousche, P.J. (179) 62
Klis, S.F.L., see Wolters, F.L.C. (179) 53

Lin, J., see Ozeki, M. (179) 43
Lineton, B., see Slaven, A. (179) 113

Mäkitie, A.A., Pirvola, U., Pyykkö, I., Sakakibara, H., Riihimäki, V. and Ylikoski, J.
The ototoxic interaction of styrene and noise (179) 9
McFadden, S.L., see Hight, N.G. (179) 21
Miller, J.M., see Wolters, F.L.C. (179) 53

Nicotera, T., see Hight, N.G. (179) 21

Obritch, W., see Ozeki, M. (179) 43
Otto, K.J., see Rousche, P.J. (179) 62
Ozeki, M., Duan, L., Hamajima, Y., Obritch, W., Edson-Herzovi, D. and Lin, J.
Establishment and characterization of rat progenitor hair cell lines (179) 43

Palmer, A.R., see Hart, H.C. (179) 104
Pirvola, U., see Mäkitie, A.A. (179) 9
Prieskorn, D.M., see Wolters, F.L.C. (179) 53
Pyykkö, I., see Mäkitie, A.A. (179) 9

Reilly, M.P., see Rousche, P.J. (179) 62
Richardson, L.M., see Cohen, L.T. (179) 72
Riihimäki, V., see Mäkitie, A.A. (179) 9
Rousche, P.J., Otto, K.J., Reilly, M.P. and Kipke, D.R.
Single electrode micro-stimulation of rat auditory cortex: an evaluation of behavioral performance (179) 62

Sakakibara, H., see Mäkitie, A.A. (179) 9
Saunders, E., see Cohen, L.T. (179) 72
Slaven, A., Lineton, B. and Thornton, A.R.D.
Properties of Volterra slices of otoacoustic emissions in normal-hearing humans obtained using maximum length sequences of clicks (179) 113
Smoorenburg, G.F., see Wolters, F.L.C. (179) 53

Thornton, A.R.D., see Ismail, H. (179) 97
Thornton, A.R.D., see Slaven, A. (179) 113

Viberg, A., see Idrizbegovic, E. (179) 33

Wang, S., see Hou, F. (179) 1
Wolters, F.L.C., Klis, S.F.L., de Groot, J.C.M.J., Hamers, F.P.T., Prieskorn, D.M., Miller, J.M. and Smoorenburg, G.F.
Systemic co-treatment with α-melanocyte stimulating hormone delays hearing loss caused by local cisplatin administration in guinea pigs (179) 53

Yang, W., see Hou, F. (179) 1
Ylikoski, J., see Mäkitie, A.A. (179) 9

Zhai, S., see Hou, F. (179) 1

doi:10.1016/S0378-5955(03)00121-7

ELSEVIER

Hearing Research 179 (2003) 127–128

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 179

Aging
Progressive hearing loss; Hereditary hearing loss; Cochlea; Hair cell; Spiral ganglion neurons; Stereology (Idrizbegovic, E. (179) 33)

Antioxidant
Noise; α-Tocopherol; Noise-induced hearing loss; Guinea pig (Hou, F. (179) 1)

Auditory cortex
Micro-stimulation; Neuroprosthetics; Neuroscience; Sensory perception (Rousche, P.J. (179) 62)

Cisplatin ototoxicity
Compound action potential; Protection; α-MSH; Mini-osmotic pump; Cochlea; Deafness (Wolters, F.L.C. (179) 53)

Cochlea
Aging; Progressive hearing loss; Hereditary hearing loss; Hair cell; Spiral ganglion neurons; Stereology (Idrizbegovic, E. (179) 33)

Immortalization; Progenitor hair cell line; Hair cell marker; Rat (Ozeki, M. (179) 43)

Compound action potential; Cisplatin ototoxicity; Protection; α-MSH; Mini-osmotic pump; Deafness (Wolters, F.L.C. (179) 53)

Cochlear implant
Electrically evoked compound action potential; Spread of neural excitation; Neural response telemetry; Forward masking (Cohen, L.T. (179) 72)

Compound action potential
Cisplatin ototoxicity; Protection; α-MSH; Mini-osmotic pump; Cochlea; Deafness (Wolters, F.L.C. (179) 53)

Cortex
Functional magnetic resonance imaging; Sound level; Tone frequency (Hart, H.C. (179) 104)

Deafness
Compound action potential; Cisplatin ototoxicity; Protection; α-MSH; Mini-osmotic pump; Cochlea (Wolters, F.L.C. (179) 53)

Electrically evoked compound action potential
Cochlear implant; Spread of neural excitation; Neural response telemetry; Forward masking (Cohen, L.T. (179) 72)

Forward masking
Cochlear implant; Electrically evoked compound action potential; Spread of neural excitation; Neural response telemetry (Cohen, L.T. (179) 72)

Functional magnetic resonance imaging
Sound level; Tone frequency; Cortex (Hart, H.C. (179) 104)

Glutathione
Noise-induced hearing loss; Protection (Hight, N.G. (179) 21)

Guinea pig
Noise; α-Tocopherol; Noise-induced hearing loss; Antioxidant (Hou, F. (179) 1)

Hair cell
Aging; Progressive hearing loss; Hereditary hearing loss; Cochlea; Spiral ganglion neurons; Stereology (Idrizbegovic, E. (179) 33)

Hair cell marker
Immortalization; Cochlea; Progenitor hair cell line; Rat (Ozeki, M. (179) 43)

Hearing loss
Styrene; Solvent; Inner ear; Ototoxicity; Interaction (Mäkitie, A.A. (179) 9)

Hereditary hearing loss
Aging; Progressive hearing loss; Cochlea; Hair cell; Spiral ganglion neurons; Stereology (Idrizbegovic, E. (179) 33)

Immortalization
Cochlea; Progenitor hair cell line; Hair cell marker; Rat (Ozeki, M. (179) 43)

Inner ear
Styrene; Solvent; Hearing loss; Ototoxicity; Interaction (Mäkitie, A.A. (179) 9)

Interaction
Styrene; Solvent; Hearing loss; Inner ear; Ototoxicity (Mäkitie, A.A. (179) 9)

Maximum length sequence
Otoacoustic emission; Sex; Side (Ismail, H. (179) 97)

Otoacoustic emission; Nonlinearity temporal interaction; Volterra kernel; Volterra series (Slaven, A. (179) 113)

Micro-stimulation
Auditory cortex; Neuroprosthetics; Neuroscience; Sensory perception (Rousche, P.J. (179) 62)

Mini-osmotic pump
Compound action potential; Cisplatin ototoxicity; Protection; α-MSH; Cochlea; Deafness (Wolters, F.L.C. (179) 53)

doi:10.1016/S0378-5955(03)00122-9

α-MSH
Compound action potential; Cisplatin ototoxicity; Protection; Mini-osmotic pump; Cochlea; Deafness (Wolters, F.L.C. (179) 53)

Neural response telemetry
Cochlear implant; Electrically evoked compound action potential; Spread of neural excitation; Forward masking (Cohen, L.T. (179) 72)

Neuroprosthetics
Auditory cortex; Micro-stimulation; Neuroscience; Sensory perception (Rousche, P.J. (179) 62)

Neuroscience
Auditory cortex; Micro-stimulation; Neuroprosthetics; Sensory perception (Rousche, P.J. (179) 62)

Noise
α-Tocopherol; Noise-induced hearing loss; Antioxidant; Guinea pig (Hou, F. (179) 1)

Noise-induced hearing loss
Noise; α-Tocopherol; Antioxidant; Guinea pig (Hou, F. (179) 1)

Protection; Glutathione (Hight, N.G. (179) 21)

Nonlinearity temporal interaction
Otoacoustic emission; Volterra kernel; Maximum length sequence; Volterra series (Slaven, A. (179) 113)

Otoacoustic emission
Maximum length sequence; Sex; Side (Ismail, H. (179) 97)

Nonlinearity temporal interaction; Volterra kernel; Maximum length sequence; Volterra series (Slaven, A. (179) 113)

Ototoxicity
Styrene; Solvent; Hearing loss; Inner ear; Interaction (Mäkitie, A.A. (179) 9)

Progenitor hair cell line
Immortalization; Cochlea; Hair cell marker; Rat (Ozeki, M. (179) 43)

Progressive hearing loss
Aging; Hereditary hearing loss; Cochlea; Hair cell; Spiral ganglion neurons; Stereology (Idrizbegovic, E. (179) 33)

Protection
Noise-induced hearing loss; Glutathione (Hight, N.G. (179) 21)

Compound action potential; Cisplatin ototoxicity; α-MSH; Mini-osmotic pump; Cochlea; Deafness (Wolters, F.L.C. (179) 53)

Rat
Immortalization; Cochlea; Progenitor hair cell line; Hair cell marker (Ozeki, M. (179) 43)

Sensory perception
Auditory cortex; Micro-stimulation; Neuroprosthetics; Neuroscience (Rousche, P.J. (179) 62)

Sex
Maximum length sequence; Otoacoustic emission; Side (Ismail, H. (179) 97)

Side
Maximum length sequence; Otoacoustic emission; Sex (Ismail, H. (179) 97)

Solvent
Styrene; Hearing loss; Inner ear; Ototoxicity; Interaction (Mäkitie, A.A. (179) 9)

Sound level
Functional magnetic resonance imaging; Tone frequency; Cortex (Hart, H.C. (179) 104)

Spiral ganglion neurons
Aging; Progressive hearing loss; Hereditary hearing loss; Cochlea; Hair cell; Stereology (Idrizbegovic, E. (179) 33)

Spread of neural excitation
Cochlear implant; Electrically evoked compound action potential; Neural response telemetry; Forward masking (Cohen, L.T. (179) 72)

Stereology
Aging; Progressive hearing loss; Hereditary hearing loss; Cochlea; Hair cell; Spiral ganglion neurons (Idrizbegovic, E. (179) 33)

Styrene
Solvent; Hearing loss; Inner ear; Ototoxicity; Interaction (Mäkitie, A.A. (179) 9)

α-Tocopherol
Noise; Noise-induced hearing loss; Antioxidant; Guinea pig (Hou, F. (179) 1)

Tone frequency
Functional magnetic resonance imaging; Sound level; Cortex (Hart, H.C. (179) 104)

Volterra kernel
Otoacoustic emission; Nonlinearity temporal interaction; Maximum length sequence; Volterra series (Slaven, A. (179) 113)

Volterra series
Otoacoustic emission; Nonlinearity temporal interaction; Volterra kernel; Maximum length sequence (Slaven, A. (179) 113)